

Graphs: Representation and Elementary Algorithms


Antonio Carzaniga

Faculty of Informatics
Università della Svizzera italiana


April 26, 2018

- Graphs: definitions
- Representations
- Breadth-first search
- Depth-first search


Example



Example



Same Example (Better Layout)



Many Models and Applications

- Social networks: *who knows who*
- The Web graph: *which page links to which*
- The Internet graph: *which router links to which*
- Citation graphs: *who references whose papers*
- Planar graphs: *which country is next to which*
- Well-shaped meshes: *pretty pictures with triangles*
- Geometric graphs: *who is near who*
- Random graphs: *whichever...*

Examples and descriptions taken from Daniel A. Spielman's course "Graphs and Networks."

- A *graph*

$$G = (V, E)$$

- V is the set of *vertices* (also called *nodes*)
- E is the set of *edges*

- A **graph**

$$G = (V, E)$$

- V is the set of **vertices** (also called **nodes**)
- E is the set of **edges**
 - ▶ $E \subseteq V \times V$, i.e., E is a **relation between vertices**
 - ▶ an edge $e = (u, v) \in V$ is a pair of vertices $u \in V$ and $v \in V$

- A **graph**

$$G = (V, E)$$


- V is the set of **vertices** (also called **nodes**)

- E is the set of **edges**


- ▶ $E \subseteq V \times V$, i.e., E is a **relation between vertices**
- ▶ an edge $e = (u, v) \in V$ is a pair of vertices $u \in V$ and $v \in V$

- An *undirected* graph is characterized by a *symmetric* relation between vertices
 - ▶ an edge is a set $e = \{u, v\}$ of two vertices


Example (1)



Example (2)



Example (3)




Graph Representation

- How do we represent a graph $G = (E, V)$ in a computer?


- How do we represent a graph $G = (E, V)$ in a computer?
- *Adjacency-list representation*
- $V = \{1, 2, \dots |V|\}$
- G consists of an array Adj
- A vertex $u \in V$ is represented by an element in the array Adj

- How do we represent a graph $G = (E, V)$ in a computer?
- *Adjacency-list representation*
- $V = \{1, 2, \dots |V|\}$
- G consists of an array Adj
- A vertex $u \in V$ is represented by an element in the array Adj
- $Adj[u]$ is the **adjacency list** of vertex u
 - ▶ the list of the vertices that are adjacent to u
 - ▶ i.e., the list of all v such that $(u, v) \in E$


Example



Example




Using the Adjacency List



Using the Adjacency List


- Accessing a vertex u ?



Using the Adjacency List

- Accessing a vertex u ?
 - ▶ optimal


$O(1)$



Using the Adjacency List

- Accessing a vertex u ?
 - ▶ optimal
 - Iteration through V ?

$O(1)$



Using the Adjacency List


- Accessing a vertex u ?

- ▶ optimal

 $O(1)$

- Iteration through V ?

- ▶ optimal


 $\Theta(|V|)$ 

Using the Adjacency List

- Accessing a vertex u ?
 - ▶ optimal
- Iteration through V ?
 - ▶ optimal
- Iteration through E ?

$O(1)$

$\Theta(|V|)$



Using the Adjacency List

- Accessing a vertex u ?

$O(1)$

- ▶ optimal

- Iteration through V ?


$\Theta(|V|)$

- ▶ optimal

- Iteration through E ?


$\Theta(|V| + |E|)$

- ▶ okay (not optimal)




Using the Adjacency List

- Accessing a vertex u ? $O(1)$
- ▶ optimal
- Iteration through V ? $\Theta(|V|)$
- ▶ optimal
- Iteration through E ? $\Theta(|V| + |E|)$
- ▶ okay (not optimal)
- Checking $(u, v) \in E$?




Using the Adjacency List

- Accessing a vertex u ? $O(1)$
- ▶ optimal
- Iteration through V ? $\Theta(|V|)$
- ▶ optimal
- Iteration through E ? $\Theta(|V| + |E|)$
- ▶ okay (not optimal)
- Checking $(u, v) \in E$? $O(|V|)$



Using the Adjacency List

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
- Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
- Iteration through E ? $\Theta(|V| + |E|)$
 - ▶ okay (not optimal)
- Checking $(u, v) \in E$? $O(|V|)$
 - ▶ bad




Graph Representation (2)

- *Adjacency-matrix representation*


- $V = \{1, 2, \dots, |V|\}$
- G consists of a $|V| \times |V|$ matrix A
- $A = (a_{ij})$ such that

$$a_{ij} = \begin{cases} 1 & \text{if } (i, j) \in E \\ 0 & \text{otherwise} \end{cases}$$


Example



Example



Example



Using the Adjacency Matrix

Using the Adjacency Matrix

- ## ■ Accessing a vertex u ?

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ?

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
 - Iteration through E ?

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
 - Iteration through E ? $\Theta(|V|^2)$
 - ▶ possibly very bad

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
 - Iteration through E ? $\Theta(|V|^2)$
 - ▶ possibly very bad
 - Checking $(u, v) \in E$?

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
 - Iteration through E ? $\Theta(|V|^2)$
 - ▶ possibly very bad
 - Checking $(u, v) \in E$? $O(1)$

Using the Adjacency Matrix

- Accessing a vertex u ? $O(1)$
 - ▶ optimal
 - Iteration through V ? $\Theta(|V|)$
 - ▶ optimal
 - Iteration through E ? $\Theta(|V|^2)$
 - ▶ possibly very bad
 - Checking $(u, v) \in E$? $O(1)$
 - ▶ optimal

Space Complexity

- Adjacency-list representation

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

optimal

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

optimal

- Adjacency-matrix representation

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

optimal

- Adjacency-matrix representation

$$\Theta(|V|^2)$$

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

optimal

- Adjacency-matrix representation

$$\Theta(|V|^2)$$

possibly very bad

- Adjacency-list representation

$$\Theta(|V| + |E|)$$

optimal

- Adjacency-matrix representation

$$\Theta(|V|^2)$$

possibly very bad

- When is the adjacency-matrix “very bad”?

Choosing a Graph Representation

■ Adjacency-list representation

- ▶ generally good, especially for its optimal space complexity
- ▶ bad for **dense** graphs and algorithms that require random access to edges
- ▶ preferable for **sparse** graphs or graphs with **low degree**

Choosing a Graph Representation

■ Adjacency-list representation

- ▶ generally good, especially for its optimal space complexity
- ▶ bad for **dense** graphs and algorithms that require random access to edges
- ▶ preferable for **sparse** graphs or graphs with **low degree**


■ Adjacency-matrix representation

- ▶ suffers from a bad space complexity
- ▶ good for algorithms that require random access to edges
- ▶ preferable for **dense** graphs


- One of the simplest but also a fundamental algorithm

- One of the simplest but also a fundamental algorithm
- *Input:* $G = (V, E)$ and a vertex $s \in V$
 - ▶ explores the graph, touching all vertices that are reachable from s
 - ▶ iterates through the vertices at increasing distance (edge distance)
 - ▶ computes the distance of each vertex from s
 - ▶ produces a ***breadth-first tree*** rooted at s
 - ▶ works on both *directed* and *undirected* graphs


Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example




Example



Example




Example



BFS Algorithm

BFS(G, s)


```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```



BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 1$$

$$Q = \emptyset$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 1$$

$$Q = \{5\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 1$$

$$Q = \{5, 6\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 5$$

$$Q = \{6\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 5$$

$$Q = \{6, 9\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 6 \\ Q = \{9\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 6 \\ Q = \{9, 2, 7\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 6$$
$$Q = \{9, 2, 7\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 9$$

$$Q = \{2, 7\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 9$$

$$Q = \{2, 7, 10\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 2 \\ Q = \{7, 10\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[ $u$ ] = BLACK
```




$$u = 2$$

$$Q = \{7, 10, 3\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```




$$u = 7$$

$$Q = \{10, 3\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 7$$

$$Q = \{10, 3, 8\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[u] = BLACK
```




$$u = 7$$

$$Q = \{10, 3, 8, 11\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```




$$u = 10$$

$$Q = \{3, 8, 11\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[ $u$ ] = BLACK
```




$$u = 3$$

$$Q = \{8, 11\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[ $u$ ] = BLACK
```




$$u = 3$$

$$Q = \{8, 11, 4\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[ $u$ ] = BLACK
```




$$u = 8$$

$$Q = \{11, 4\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18     color[ $u$ ] = BLACK
```




$$u = 8$$

$$Q = \{11, 4, 12\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```




$$u = 11 \\ Q = \{4, 12\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```




$$Q = \{12\}$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```




$$u = 12$$

$$Q = \emptyset$$

BFS Algorithm

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```



BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $color[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $color[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $color[v] == \text{WHITE}$ 
14              $color[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $color[u] = \text{BLACK}$ 
```

Complexity of BFS

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```

- We enqueue a vertex only if it is white, and we immediately color it gray; thus, we enqueue every vertex *at most once*

Complexity of BFS

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```

- We enqueue a vertex only if it is white, and we immediately color it gray; thus, we enqueue every vertex *at most once*
- So, the (dequeue) while loop executes $O(|V|)$ times

Complexity of BFS

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```

- We enqueue a vertex only if it is white, and we immediately color it gray; thus, we enqueue every vertex *at most once*
- So, the (dequeue) while loop executes $O(|V|)$ times
- For each vertex u , the inner loop executes $\Theta(|E_u|)$, for a total of $O(|E|)$ steps

Complexity of BFS

BFS(G, s)

```
1  for each vertex  $u \in V(G) \setminus \{s\}$ 
2       $\text{color}[u] = \text{WHITE}$ 
3       $d[u] = \infty$ 
4       $\pi[u] = \text{NIL}$ 
5   $\text{color}[s] = \text{GRAY}$ 
6   $d[s] = 0$ 
7   $\pi[s] = \text{NIL}$ 
8   $Q = \emptyset$ 
9  ENQUEUE( $Q, s$ )
10 while  $Q \neq \emptyset$ 
11      $u = \text{DEQUEUE}(Q)$ 
12     for each  $v \in \text{Adj}[u]$ 
13         if  $\text{color}[v] == \text{WHITE}$ 
14              $\text{color}[v] = \text{GRAY}$ 
15              $d[v] = d[u] + 1$ 
16              $\pi[v] = u$ 
17             ENQUEUE( $Q, v$ )
18      $\text{color}[u] = \text{BLACK}$ 
```

- We enqueue a vertex only if it is white, and we immediately color it gray; thus, we enqueue every vertex *at most once*
- So, the (dequeue) while loop executes $O(|V|)$ times
- For each vertex u , the inner loop executes $\Theta(|E_u|)$, for a total of $O(|E|)$ steps
- So, $O(|V| + |E|)$

Depth-First Search



Depth-First Search

- Immediately follow the links of the most recently-visited vertex, then backtrack when you reach a dead-end
 - ▶ i.e., backtrack when the current vertex has no more adjacent vertices that have not yet been visited

- Immediately follow the links of the most recently-visited vertex, then backtrack when you reach a dead-end
 - ▶ i.e., backtrack when the current vertex has no more adjacent vertices that have not yet been visited
- *Input:* $G = (V, E)$
 - ▶ explores the graph, touching *all vertices*

- Immediately follow the links of the most recently-visited vertex, then backtrack when you reach a dead-end
 - ▶ i.e., backtrack when the current vertex has no more adjacent vertices that have not yet been visited
- *Input:* $G = (V, E)$
 - ▶ explores the graph, touching *all vertices*
 - ▶ produces a **depth-first forest**, consisting of all the **depth-first trees** defined by the DFS exploration

- Immediately follow the links of the most recently-visited vertex, then backtrack when you reach a dead-end
 - ▶ i.e., backtrack when the current vertex has no more adjacent vertices that have not yet been visited
- *Input:* $G = (V, E)$
 - ▶ explores the graph, touching *all vertices*
 - ▶ produces a **depth-first forest**, consisting of all the **depth-first trees** defined by the DFS exploration
 - ▶ associates **two time-stamps** to each vertex
 - ▶ $d[u]$ records when u is first discovered
 - ▶ $f[u]$ records when DFS finishes examining u 's edges, and therefore backtracks from u

DFS(G)

```
1  for each vertex  $u \in V(G)$ 
2       $color[u] = \text{WHITE}$ 
3       $\pi[u] = \text{NIL}$ 
4       $time = 0$  // "global" variable
5  for each vertex  $u \in V(G)$ 
6      if  $color[u] == \text{WHITE}$ 
7          DFS-VISIT( $u$ )
```

DFS-VISIT(u)

```
1   $color[u] = \text{GREY}$ 
2   $time = time + 1$ 
3   $d[u] = time$ 
4  for each  $v \in Adj[u]$ 
5      if  $color[v] == \text{WHITE}$ 
6           $\pi[v] = u$ 
7          DFS-VISIT( $v$ )
8   $color[u] = \text{BLACK}$ 
9   $time = time + 1$ 
10  $f[u] = time$ 
```

Complexity of DFS



Complexity of DFS

- The loop in **DFS-VISIT**(u) (lines 4–7) accounts for $\Theta(|E_u|)$

- The loop in **DFS-VISIT**(u) (lines 4–7) accounts for $\Theta(|E_u|)$
- We call **DFS-VISIT**(u) *once* for each vertex u
 - ▶ either in **DFS**, or recursively in **DFS-VISIT**
 - ▶ because we call it only if $color[u] = \text{WHITE}$, but then we immediately set $color[u] = \text{GREY}$

- The loop in **DFS-VISIT**(u) (lines 4–7) accounts for $\Theta(|E_u|)$
- We call **DFS-VISIT**(u) *once* for each vertex u
 - ▶ either in **DFS**, or recursively in **DFS-VISIT**
 - ▶ because we call it only if $color[u] = \text{WHITE}$, but then we immediately set $color[u] = \text{GREY}$
- So, the overall complexity is $\Theta(|V| + |E|)$

Applications of DFS: Topological Sort

Applications of DFS: Topological Sort

- Given a *directed acyclic graph* (DAG)
 - ▶ find an ordering of vertices such that you only end up with *forward links*

Applications of DFS: Topological Sort

- Given a *directed acyclic graph* (DAG)
 - ▶ find an ordering of vertices such that you only end up with *forward links*
- Example: dependencies in software packages
 - ▶ find an installation order for a set of software packages
 - ▶ such that every package is installed only after all the packages it depends on

Topological Sort Algorithm

Topological Sort Algorithm

TOPOLOGICAL-SORT(G)

- 1 **DFS(G)**
- 2 output V sorted in reverse order of $f[\cdot]$

Topological Sort Algorithm

TOPOLOGICAL-SORT(G)

- 1 **DFS(G)**
- 2 output V sorted in reverse order of $f[\cdot]$

